CHROMA AUSTRALIA PTY LTD ACN 001 594 609

17 MUNDOWI RD

MT KURING-GAI NSW 2080, Australia DATE of ISSUE: 1 JUNE 2002

TEL: (02) 9457 9922 FAX: (02) 9457 8082

EMERGENCY TEL: AS ABOVE, or Poisons Information Centre

Material Safety Data Sheet Not Classified as Hazardous According to the Criteria of Worksafe Australia

IDENTIFICATION

Product name: A2 STUDENTS ACRYLIC U.N. No: N/A

Other names: ---- Hazchem: N/A

Dangerous Goods Class & Sub Risk: N/A

PAGE 1 of 2

Manufacturer's Product Code: VARIOUS Poisons Schedule: N/A

Use: STUDENTS IMPASTO ACRYLIC PAINT

Physical Description/Properties

Appearance: **THICK PASTE various colours**Boiling Point/Melting Point (°C) **N/A**Vapour Pressure (pascals or mm of Hg at 25°C) **N/A**Solubility in Water (g/L): **soluble**

Specific Gravity Approx no greater than 1g/ml

Other properties Slight ammonia smell

Ingredients
Chemical entity
CAS No.
Proportion

ACRYLIC EMULSION NON HAZ COMMERCIAL IN CONFIDENCE PRESERVATIVE 149-30-4/2634-33-5 0.15%

ALKALINE STABILISER 124-68-24 <1% AMMONIA 7664-41-7 <1%

PIGMENT, varied ---- COMMERCIAL IN CONFIDENCE

THICKENERS NON HAZ <20% WATER 7732-18-5 <10%

HEALTH HAZARD INFORMATION

HEALTH EFFECTS:

Acute: Swallowed NONE ALLOCATED

Eye DIRECT CONTACT MAY CAUSE SLIGHT IRRITATION

Skin PROLONGED OR REPEATED CONTACT MAY CAUSE SLIGHT

SKIN IRRITATION

Inhaled INHALATION OF VAPOUR MAY CAUSE IRRITATION

Chronic NONE ALLOCATED

FIRST AID:

Swallowed IF SWALLOWED GIVE TWO GLASSES of WATER TO DRINK

Eye FLUSH EYES WITH A LARGE AMOUNT OF WATER

Skin WASH AFFECTED AREAS THOROUGHLY

Inhaled MOVE SUBJECT TO FRESH AIR

ADVICE TO DOCTOR THIS PRODUCT CARRIES THE A.P. NON-TOXIC SEAL AND IS

CERTIFIED BY A TOXICOLOGIST IN ASSOCATION WITH THE ART & CRAFT MATERIALS INSTITUTE (ACMI), BOSTON Ma

02110. USA

PRECAUTIONS FOR USE

EXPOSURE STANDARDS

NONE

ENGINEERING CONTROLS

USE IN WELL VENTILATED AREAS

PERSONAL PROTECTION

NONE REQUIRED IF USED IN A WELL VENTILATED AREA

FLAMMABILITY

NOT APPLICABLE

SAFE HANDLING INFORMATION

STORAGE & TRANSPORT

KEEP FROM FREEZING. RECOMMENDED STORATE CONDITIONS ARE BETWEEN 1° C AND 50 °C.

SPILLS & DISPOSAL

FOR MINOR SPILLS, MOP UP WITH RAGS & DISPOSE OF. FOR LARGER QUANTITIES, CONTAIN ANY SPILLS WITH SAND AND TRANSFER TO CONTAINERS FOR DISPOSAL.

CONTACT LOCAL WASTE DISPOSAL AUTHORITY FOR DISPOSAL ADVICE.

FIRE/EXPLOSION HAZARD

NONE

OTHER INFORMATION

CONTACT POINT

MT KURING-GAI AUSTRALIA

DATE OF ISSUE: 1 JUNE 2002