141111 EDN 945

TIRE EQUALIZER

Material Safety Data Sheet
May be used to comply with
OSHA's Hazard Communication Standard
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
From Annual

Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List)

NA - Not Applicable

Note: Blank apaces are not permited. If any item is not applicable, or no information is available, the space must be marked to indicate that.

EQUAL Section I Manufacturer's Name INTERNATIONAL MARKETING, INC. Emergency Telephone Number 717-264-5819 Address (Number, Street, City, State, and ZIP Code) Telephone Number for Information P. O. Box 6, 25 Pennoraft Avenue Date Prepared January 24, 1998 Chambersburg, Pa. 17201 Signature of Preparer (optional) Sectionil - Hazardous Ingredients / Identity Information Other Limits
ACGIH TLV Recommended % Hazardous Components (Specific Chemical Identity; Common Name(s) OSHA PEL (optional) No TLV has been established for any component of this product CAS Registry No. %W (Approx.) **INGREDIENTS** 9011-05-6 70 Polymerized Urea Molding Compound NA 28 Alpha Cellulose Filler N.A. 2 Pigments and Additives Section III - Physical / Chemical Characteristica **Boiling Point** N.A. Specific Gravity (H2O = 1) 1.5 Vapor Pressure (mm Hg.) N.A. **Melting Point** N.A. Vapor Density (Air = 1) N.A. Evaporation Rate (Butyl Acetate = 1) NA. Solubility in Water N.A Appearance and Odor Multi colored granules with slight plastic odor. Section IV - Fire and Explosion Hazard Data Flash Point (Method Used) N.A. Flammable Limits N/A LEL N/A **UEL NA** Extinguishing Media Carbon Dioxide, dry chemicals or water fog. Special Fire Fighting Procedures Do not use high pressure water stream. Fog nozztes are preferable. Water may be used to cool closed containers Unusual Fire and Exclosion Hazarda Maintain normal good housekeeping for control of dust. High dust concentration could form explosive mixture with air.

ECUAL Page 2 Section V - Reactivity Data Stability Unstable Conditions to Avoid None known Stable X Incompatability (Materials to Avoid) No specific incompatability Hazardous Decomposition or By products N.A. Hazardous May Occur Conditions to Avoid None Known Polymerization Will Not Occur Section VI - Health Hazard Data Route(s) of Entry: Inhibation? Skin? ingestion? Low order of acute toxicity N/A Very low order of toxicity Health Hazards (Acute and Chronic) Health hazards are slightly acute Carcinogenicity: None NIP? TARC Monographs? None **USHA Regulated?** No. Signs and Symptoms of Exposure NA Medical Condition Generally Aggravated by Exposure None known Emergency and First Aid Procedures: In case of irritation flush eyes with plenty of water for 15 min. Call a physician. Flush skin with water. Section VII - Precautions for Safe Handling and Use Steps to Be Taken in Case Material is Released or Spilled Remove open flame, sparks, hot surfaces and oxidizing agents. Sweep up and place water in disposal container. Waste Disposal Method Sanitary land fill in accordance with Federal, State and Local regulations Precautions to Be Taken in Handling and Storing Store in closed properly labeled containers in cool, ventilated areas. Keep away from heat, sparks, open flame and oxidizing agents. Do not transfer to unmarked contianers. Other Precautions: None Section VIII - Control Measures Respiratory Protection (Specify Type) Where required use N10SH/MSHA approred respiratory protection Local Exhaust. When necessary to maintain exposure levels to OSHA permissible levels. Ventilation Special Explosion proof may be necessary NA alrated or airveyed Mechanical (General) Acceptable Other NA Protective Gloves N/A Eye Protection Safety Goggles

Work / Hygienic Practices N/A

Other Protective Ciothing or Equipment

N/A