MSDS

Material Safety Data Sheet-PPD

MSDS:00016

Date Approved:

Worldwide Beauty Care

(Clairol, Inc.; Duart Labs; Redmond Products, Inc.)

Bristol-Myers Squibb Company

One Blachley Road Stamford, CT 06922

Emergency Telephone Number: (203) 357-5678

Transportation Emergency:

Call Chemtrec 1-800-424-9300

This sheet has been prepared in accordance with the Requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Section I - Categorization

Product Category: Skin Care Products - Astringents

Pertinent Text:

Alcoholic liquids.

Product Names:

Sea Breeze, Herbal Essences

Section II - Ingredients Identity/Exposure Limits

Skin Care Products - Astringents generally contain the following hazardous ingredients (1% concentration

or greater; 0.1% for carcinogens):

CTFA Name **GLYCERIN**

CAS Number

56815

EXPOSURE LIMIT:AS A MIST 10 mg/m3 TLV, 15 mg/m3 TOTAL: 5

mg/m3 RESPIRABLE OSHA PEL

ALCOHOL DENAT.

64175

EXPOSURE LIMIT:1000 ppm TLV, PEL (ETHYL ALCOHOL)

BUTYLENE GLYCOL

107880

Section III - Physical/Chemical Characteristics

Specific Gravity ($H_2O = 1$): 0.90-0.95

pH:

3.3-4.0

Solubility in Water:

Complete.

Appearance and Odor:

Clear colored liquids with fragranced/medicinal odor

Section IV - Fire and Explosion

Hazard Data

Flashpoint: 740

Fahrenheit

Type:For products

containing alcohol.

Method:

Unit:

closed cup

Fire Fighting Procedures:

Extinguish fires with ABC all-purpose extinguisher. The type of extinguisher used should be in conformance with local fire regulations. Fire fighters should use self contained breathing apparatus in enclosed areas.

Unusual Fire and Explosion Hazards:

Product will flash or sustain a flame if exposed to fire, heat or ignition source at or below room temperature.

Physical Hazards

Flammable liquids.

Section V - Reactivity Data

MSDS

Stability:

Stable.

Conditions to Avoid:

Open flames, heat and ignition sources.

Incompatibility (Materials of Avoid):

None.

Hazardous Decomposition or

May form toxic materials (carbon dioxide and carbon monoxide).

ByProducts:

Section VI- Health Hazards and Hazard Data

The TLV of the mixture has not been established.

1. Effects of Acute Accidental Exposure

Eye Contact:

Eye irritant.

Skin Contact:

Irritation not likely.

Inhalation:

These products contains high levels of alcohol and respiratory symptoms may occur due

to inadequate ventilation.

Ingestion:

Ingestion of 2 or more ounces of product containing high level of alcohol may result in

depression and alcohol intoxication.

2 Effects of Chronic Exposure

For purposes of chronic exposure under the OSHA Hazard Communication Standard, these products are untested nixtures. These products have been used extensively by consumers and Worldwide Beauty Care is not aware of any significant adverse reactions. Target Organs: These products contain ingredients which have been shown to affect tissues or organs under high levels of exposure in animal studies not encountered in normal use. Glycerin: Kidney, Liver. Alcohol Denat.: Liver, CNS, Eye and Reproductive.

3. Carcinogen Status:

OSHA: No NTP: No IARC: No

4. Route of Entry:

Inhalation: Yes Ingestion: Yes Skin: Yes

5. Pre-existing dermatitis would likely be made worse by exposure to these products.

6. Emergency and First Aid Procedures

Eye Contact:

Remove contact lenses, if used. Flush immediately with plenty of water for 15 minutes. Get

medical attention IMMEDIATELY.

Skin Contact:

If spilled, wash skin immediately with soap and water (do not use solvents). Change into

clean clothing. If skin reaction develops, contact dermatologist.

Inhalation:

Remove person to fresh air. Increase ventilation.

Ingestion:

Rinse out mouth with water and administer large amounts of milk. Contact Poison Control

Center.

70

Section VII - Precautions for Safe Handling and Use

Steps to be taken in Case Material is released or Spilled:

Contain spill and promptly cleanup. Flush with copious amounts of water until floor is not slippery.

Waste Disposal Method:

Products covered by this MSDS,in their original form, are considered hazardous waste according to RCRA. Additionally, disposal should be in accordance with all applicable Local, State and Federal regulations.

Precautions to be Taken in Handling and Storage:

FLAMMABLE! Keep away from fire and flames. Follow flammable liquid storage requirements. Keep away from radiators and heat.

+

Section VIII - Control Measures

Ventilation:

Exhaust system ventilation should be adequate to avoid buildup of vapors.

Hand Protection:

Use impervious gloves to avoid possible skin reaction.

Eye Protection:

Avoid contact with eyes. Use protective eyewear, if splashing is possible.

Other Types of Protection:

Not applicable.

Respiratory Protection:

Avoid inhalation.

Work Hygienic Practices:

Always follow good hygienic work practices. Avoid eye, clothing, and prolonged skin contact with products. In case of contact, rinse thoroughly with water. Promptly clean up all spills.

Section IX - Transportation Information

DOT Class: Containers over 1

gallon: Ethyl Alcohol Solutions, 3, UN1170, PGIII, Containers of 1 gallon and under: Consumer Commodity ORM-D IMDG:Ethanol Solutions, 3.3, UN1170, PGIII (Note: Limited Quantity Exemptions Exist). IATA/ICAO:Consumer Commodity, Hazard Class: 9, ID 8000, Packing Instructions 910 (Note: Inner containers exceeding 17 fl oz (500 ml) not authorized by air).

Printable Word Document (double click to launch Word and Print from Word)