

Material Safety Data Sheet

Issue date: May 17, 1999

1.0 Preparation and company identity

Identification of the preparation

HP Laser Jet Cartridge C3906A

Company identification

**HEWLETT-PACKARD COMPANY** 

11311 Chinden Blvd. Boise, ID 83714

Telephone number

Hewlett-Packard - General Information

208 323-2551

2.0 Composition/information on ingredients

This product is a toner preparation that is used in a Hewlett-Packard LaserJet 5L or 6L printer or the Hewlett-Packard LaserJet 3100 Printer Fax Copier Scanner.

Ingredients

Substance	CAS number	Percent (wt)	Symbol	R Phrase
Styrene Acrylate Copolymer		45 - 55	<b></b>	-
Iron Oxide	(1317-61-9)	45 - 55	•	•

3.0 Hazards identification

Potential Health Effects

Ingestion effects: Inhalation effects: Ingestion is not applicable route of entry for intended use.

Minimal respiratory tract irritation may occur with exposure to

large amount of toner dust.

Eye Effects: Skin effects: May cause eye irritation. None currently known

Environmental hazards

No particular hazards known.

Product HP C3906A Issue date: May 17, 1999



4.0 First-aid measures

After ingestion

Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.

After inhalation

Move person to fresh air immediately. If symptoms occur, consult a physician.

After contact with eyes

Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes. If symptoms occur, consult a physician.

After contact with skin

Wash affected areas thoroughly with soap and water. If symptoms occur, consult a physician.

Fire-fighting measures 5.0

Flash Point (method used):

Ignition Temperature:

Flammability:

No data available

No data available

Non-flammable solid (according to test methods of

USA 16 CFR 1500.44 and 84/449/EEC (Annex V) A.10)

No data available Flammable Limits:

Extinguishing Media:

Special Fire Fighting Procedures: Unusual Fire & Explosion Hazards: C02, water, dry chemicals None

Toner material, like most organic material in powder

form, is capable of creating a dust explosion.

6.0 Accidental release measures

Spill and Leakage Procedures

Wear personal protective equipment as described in Section 8. Minimize the release of particulates. Vacuum or sweep the material into a bag or other sealed container and dispose in accordance with local requirements.

Environmental precautions

Do not discharge into drains (See also section 13 Disposal Considerations).


7.0 Handling and storage

Advise on safe handling and protection against fire

Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.

Requirements for storage rooms and advice on storage compatibility

Keep container closed and store at room temperature. Keep away from strong oxidizers.





Exposure controls / personal protection 8.0

Exposure Limits For Toner:

USA OSHA (TWA )/PEL):

ACGIH (TWA/TLV):

DFG (MAK):

(Also refer to Section 2.) Respiratory Protection:

Ventilation:

Protective Gloves:

Eye Protection: Other Protective Equipment: 15 mg/m³ (Total Dust)

5 mg/m³ (Respirable Fraction) 10 mg/m³ (Inhalable Particulate) 3 mg/m³ (Respirable Particulate)

6 mg/m³ (Feinstaubkonzentration)

Not required under intended use.

Good general ventilation should be sufficient

under intended use.

Not required under intended use. Not required under intended use. Not required under intended use.

Physical and chemical properties 9.0

**Boiling Point:** 

Melting Point:

Vapor Pressure (mmHg.): Vapor Density (Air=1):

Solubility in Water:

Solubility in Organic Solvents: Specific Gravity (H<sub>2</sub>0=1):

Percent Volatile by Volume: Evaporation Rate (Butyl Acetate=1):

pH:

Appearance and Odor:

Not applicable

100 - 150°C (Softening Point)

Not applicable Not applicable Negligible

Partially soluble in toluene and xylene.

1.4 - 1.8

Not applicable Not applicable Not applicable

Fine black powder, slight plastic odor.

Stability and reactivity 10.0

Stability

Incompatibility:

Hazardous Decomposition Products:

Hazardous Polymerization:

Stable

Strong oxidizers

Combustion will produce carbon dioxide and,

possibly toxic chemicals such as carbon monoxide.

Will not occur.

Product HP C3906A Issue date: May 17, 1999



11.0 Toxicological information

Acute Toxicity:

Ingestion:

LD<sub>50</sub>: > 5000mg/kg (rats)

Eye Contact:

Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive 67/548/EEC

based on test data of rabbits.

Skin Contact:

Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive 67/548/EEC

based on test data of rabbits.

Chronic Toxicity:

No data available.

Other Toxicity Data:

Mutagenicity:

Negative (Ames Test: Salmonella typhimurium)

Carcinogenicity:

Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU

Proposition 65 (California).

Directive, or

12.0 Ecological information

No data available for ecological and wastewater treatment (sewage) systems.

13.0 Disposal considerations

Product / unused product / contaminated packaging (for Germany only)

Recommendation: consultation with the disposal agency and the relevant authorities; cleansing agent is water.

14.0 Transportation information

International Transport Information:

UN No.:

None

Hazards Class:

None

Packing Group:

None

Special Precautions:

None

Product HP C3906A Issue date: May 17, 1999



Regulatory information 15.0

Chemicals Required to Report Under Sara Title III Section 313 (USA):

None

Label Information According to the Directives 88/379/EEC and 67/548/EEC (EU):

Symbol and Indications:

Not required.

R Phrases:

Not required.

S Phrases:

Not required.

Dangerous Components (CAS No.) wt%:

None

Other:

None

Special Provisions in Relation to Protection of Man or the Environment (EC): Regulation (EEC) 2455/92:

Not regulated.

Directive 76/769/ECC:

Not regulated.

None

Other:

## 16.0 Other information

This information is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application.

For general information, contact Hewlett-Packard at 208 323-2551.