Material Safety Data Sheet

ECOLAB

SOLID POWER

Page: 2/4

SOLID POWER

Section 1. Chemical product and company identification

Trade name SOLID POWER

Supplier Product use Ecolab Inc. Institutional Division 370 N. Wabasha Street St. Paul, MN 55102 Machine Warewashing Detergent

1-800-352-5326

: 949008

Date of issue 25-August-2008

Outside United States and Canada CALL 1-651-222-5352 (in USA) EMERGENCY HEALTH INFORMATION: 1-800-328-0026

Section 2. Composition, information on ingredients

sodium carbonate 497-19-8 20 - 50	triphosphoric acid, pentasodium salt 7758-29-4 14	sodium hydroxide 1310-73-2 36	Name CAS number % by weig		E E	n hydroxide sphoric acid, pentasodium salt
-----------------------------------	---	-------------------------------	---------------------------	--	-----	---

Section 3. Hazards identification

Physical state Solid. [Cast Solid]

Emergency WARNING!

CAUSES SEVERE EYE AND SKIN IRRITATION. Untreated contact may cause severe

irritation or chemical burns MAY BE HARMFUL IF SWALLOWED

May cause burns to mouth, throat and stomach.

Do not ingest. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling

Potential acute health effects
Eyes: Sever Severely irritating to the skin. Untreated contact may cause severe irritation or chemical Severely irritating to eyes. Untreated contact may cause chemical burns.

Inhalation No known significant effects or critical hazards.

Ingestion : May be harmful if swallowed. Causes burns to mouth, throat and stomach

See toxicological information (section 11)

Section 4. First aid measures

Eye contact In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

Inhalation : If inhaled, remove to fresh air.

Ingestion If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire fighting measures

Flash point

Hazardous thermal

> 100°C Product does not support combustion.

decomposition products : Decomposition products may include the following materials:

carbon monoxide carbon dioxide

metal oxide/oxides phosphorus oxides

sulfur oxides

Fire-fighting media and Use an extinguishing agent suitable for the surrounding fire

Dike area of fire to prevent runoff.

No specific fire or explosion hazard.

Special protective equipment : Fire-fighters should wear appropriate protective equipment and self-contained for fire-fighters breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Section 6. Accidental release measures

precautions Personal equipment. Keep unnecessary personnel away. Do not touch or walk through spilled material Immediately contact emergency personnel. Stop leak if without risk. Use suitable protective

precautions Environmental Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

cleaning up Methods for If emergency personnel are unavailable, vacuum or carefully scoop up spilled material and place in an appropriate container for disposal.

Section 7. Handling and storage

Handling Do not ingest. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.

: Keep out of the reach of children. Do not allow water to enter container. Keep container tightly closed. Keep container in a cool, well-ventilated area.

Storage

Store between the following temperatures: -10 and 50°C

Section 8. Exposure controls/personal protection

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protection:

Eyes Due to the form and packaging of the product, no protective equipment is needed under normal

Due to the form and packaging of the product, no protective equipment is needed under normal

use conditions.

Hands

Skin Due to the form and packaging of the product, no protective equipment is needed under normal

use conditions.

Respiratory A respirator is not needed under Exposure limits normal and intended conditions of product use

sodium hydroxide

ACGIH TLV (United Itates, 1/2008) OSHA PEL (United States, 11/2006) C: 2 mg/m³

TWA: 2 mg/m³ 8 hour(s)!

SOLID POWER Page: 3/4

Section 9. Physical and chemical properties

Physical state Blue. [Light] Solid. [Cast Solid]

Odor Faint odor.

12 to 13 [Conc. (% w/w): 1%]

Solubility Easily soluble in the following materials: cold water and hot water

Section 10. Stability and reactivity

Stability The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.

Reactivity Extremely reactive or incompatible with the following materials: acids.

Highly reactive or incompatible with the following materials: metals

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products should not be produced. Reactive or incompatible with the following materials: organic materials and moisture

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur

Section 11. Toxicological information

Potential acute health effects

Severely irritating to eyes. Untreated contact may cause chemical burns.

Severely irritating to the skin. Untreated contact may cause severe irritation or chemical

Inhalation No known significant effects or critical hazards.

May be harmful if swallowed. Causes burns to mouth, throat and stomach.

Potential chronic health effects

: Contains material which may cause damage to the following organs: lungs, upper respiratory tract.

Section 12. Ecological information

Section 13. Disposal considerations

Waste disposal The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of requirements. environmental protection and waste disposal legislation and any regional local authority product, solutions and any by-products should at all times comply with the requirements of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this

Consult your local or regional authorities.

Section 14. Transport information

regulations. The classification provided may not reflect those exceptions and may Certain shipping modes or package sizes may have exceptions from the transport not apply to all shipping modes or package sizes.

UN Classification

Proper shipping name **UN** number CORROSIVE SOLIDS, N.O.S. (Contains Sodium hydroxide) UN1759

Packing group

See shipping documents for specific transportation information.

SOLID POWER

Page: 4/4

Section 15. Regulatory information

ICS Classification Corrosive material

U.S. Federal regulations SARA 302/304/311/312 extremely hazadous substances: No products were arget organ effects

SARA 302/304 emergency planning and notification: No products were

TSCA 8(b) inventory : All ⇔mponents are listed or exempted

California Prop. 65 No products were found.

Section 16. Other information

Information System (U.S.A.) Hazardous Materiai



Responsible name Regulatory Affairs 25-August-2008.

Date of issue

15-August-2005.

Date of previous issue Notice to reader

in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION. The above information is believed to be correct with respect to the formula used to manufacture the product