```
SKYBRYTE THE -- OSPHO METAL TREATMENT
MATERIAL SAFETY DATA SHEET
NSN: 685000D002725
Manufacturer's CAGE: 6M876
Part No. Indicator: B
Part Number/Trade Name: OSPHO METAL TREATMENT
General Information
Item Name: /
Company's Name: SKYBRYTE CO THE
Company's Street: 3125 PERKINS AVE
Company's City: CLEVELAND
Company's State: OH
Company's Country: US
Company's Zip Code: 44114
Company's Emerg Ph #: 216-432-2426
Company's Info Ph #: 216-771-1590
Record No. For Safety Entry: 003
Tot Safety Entries This Stk#: 003
Status: SE
Date MSDS Prepared: 03DEC92
Safety Data Review Date: 21MAR95
Supply Item Manager: CX
MSDS Preparer's Name: STEPHEN L. PITCHER
MSDS Serial Number: BSDVF
Specification Number: UNKNOWN
Spec Type, Grade, Class: UNKNOWN
Hazard Characteristic Code: C1
Unit Of Issue Container Qty: UNKNOWN
Type Of Container: UNKNOWN
Net Unit Weight: UNKNOWN
NRC/State License Number: NOT RELEVANT
Ingredients/Identity Information
Proprietary: NO
Ingredient: PHOSPHORIC ACID (SARA III)
Ingredient Sequence Number: 01
Percent: 45
NIOSH (RTECS) Number: TB6300000
CAS Number: 7664-38-2
OSHA PEL: 1 MG/M3
ACGIH TLV: 1 MG/M3/3 STEL; 9394
Other Recommended Limit: NONE RECOMMENDED
Physical/Chemical Characteristics
Appearance And Odor: GREEN LIQUID WITH TYPICAL ACIDIC ODOR
Boiling Point: 240F, 116C
Melting Point: UNKNOWN
Vapor Pressure (MM Hg/70 F): UNKNOWN
Vapor Density (Air=1): UNKNOWN
Specific Gravity: 1.18 - 1.26
Decomposition Temperature: UNKNOWN
Evaporation Rate And Ref: <1 (N-BUTYL ACETATE=1)
Solubility In Water: 100%
Corrosion Rate (IPY): UNKNOWN
```

Fire and Explosion Hazard Data

Flash Point: NOT FLAMMABLE

Extinguishing Media: MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Special Fire Fighting Proc: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING.

Unusual Fire And Expl Hazrds: MAY DECOMPOSE TO RELEASE OXYGEN AROUND 400C (750F). WILL PRODUCE IRRITATING PHOSPHORIC OXIDE FUMES UNDER FIRE CONDITIONS.

\_\_\_\_\_\_

### Reactivity Data

Stability: YES

Cond To Avoid (Stability): NOT APPLICABLE

Materials To Avoid: REACTION WITH METALS WILL LIBERATE HYDROGEN GAS

(EXTREMELY FLAMMABLE).

Hazardous Decomp Products: PHOSPHORIC OXIDE FUMES (IRRITANT).

Hazardous Poly Occur: NO

Conditions To Avoid (Poly): AVOID CONTACT WITH STRONG ALKALIES OR WITH

METALS.

### Health Hazard Data

LD50-LC50 Mixture: LD50 (ORAL RAT) IS 1530 MG/KG

Route Of Entry - Inhalation: YES

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: YES

Health Haz Acute And Chronic: ACUTE: IRRITANT, SLIGHTLY TOXIC WHEN

INHALES/INGESTED. CHRONIC: SLIGHTLY TOXIC-CAUSES BURNS TO EXPOSED TISSUE.

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Signs/Symptoms Of Overexp: LIQUID IS CORROSIVE TO EYES AND SKIN. MIST PRODUCES IRRITATION TO EYES, NOSE, THROAT AND LUNGS.

Med Cond Aggravated By Exp: EMPHYSEMA, ASTHMA OR OTHER CONDITIONS RESULTING IN DECREASED RESPIRATORY FUNCTION.

Emergency/First Aid Proc: CALL A PHYSICIAN IMMEDIATELY. INGESTION-GIVE LARGE QUANTITIES OF WATER. DO NOT INDUCE VOMITING. SKIN & EYE-FLUSH WITH WATER.

## Precautions for Safe Handling and Use

Steps If Matl Released/Spill: WEAR SUITABLE PROTECTIVE CLOTHING, EYE PROTECTION & RESPIRATOR. NEUTRALIZE WITH SODA ASH AND FLUSH THE AREA WITH

LARGE AMOUNTS OF WATER.
Neutralizing Agent: SODA ASH.

Waste Disposal Method: NEUTRALIZE WITH SODA ASH OR LIME AND DISCHARGE INTO A TREATMENT SYSTEM IN ACCORDANCE WITH LOCAL REGULATIONS.

Precautions-Handling/Storing: STORE IN SUITABLE CONTAINER,

Other Precautions: SUITABLE CONTAINERS ARE GLASS, POLYETHYLENE LINED DRUMS, FIBERGLAS, ETC. STORE ONLY IN APPROVED TYPE CONTAINERS. AVOID ROUGH HANDLING OF DRUMS. VENT DRUMS WEEKLY. DO NOT SMOKE IN STORAGE OR USE AREA.

HANDEING OF DROMS. VENT DROMS WEEKET. DO NOT SMOKE IN STORAGE OR OSE AREA.

# Control Measures

Respiratory Protection: ACID GAS WITH FULL FACE PIECE.

Ventilation: PROVIDE SUFFICIENT LOCAL EXHAUST VENTILATION TO CONTROL

INHALATION EXPOSURES BELOW OSHA'S PEL.

Protective Gloves: NEOPRENE OR RUBBER

Eye Protection: CHEMICAL SPLASH GOGGLES/FACE SHIELD
Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.
INDUSTRIAL-TYPE IMPERVIOUS WORK CLOTHING, FOOTWARE, AND APRON (RUBBER).
Work Hygienic Practices: STORE AND HANDLE AS STRONG ACID. WASH BEFORE
EATING OR DRINKING.

Suppl. Safety & Health Data: STRONG ACID: DO NOT GET ON SKIN, IN EYES OR ON CLOTHING. DO NOT BREATHE VAPORS OR MISTS. WASH HANDS AND FACE AFTER USE. KEEP CONTAINER CLOSED WHEN NOT IN USE.

### Transportation Data

Trans Data Review Date: 93352

DOT PSN Code: DWC

DOT Proper Shipping Name: CORROSIVE LIQUIDS, N.O.S.

DOT Class: 8

DOT ID Number: UN1760 DOT Pack Group: I DOT Label: CORROSIVE

IMO PSN Code: ESH

IMO Proper Shipping Name: CORROSIVE LIQUID, N.O.S. o

IMO Regulations Page Number: 8147

IMO UN Number: 1760

IMO UN Class: 8

IMO Subsidiary Risk Label: -

IATA PSN Code: HKM
IATA UN ID Number: 1760

IATA Proper Shipping Name: CORROSIVE LIQUID, N.O.S. \*

IATA UN Class: 8
IATA Label: CORROSIVE
AFI PSN Code: HKM

AFI Prop. Shipping Name: CORROSIVE LIQUID, N.O.S.

AFI Class: 8

AFI ID Number: UN1760 AFI Pack Group: I AFI Special Prov: A7 AFI Basic Pac Ref: 12-4

N.O.S. Shipping Name: CONTAINS PHOSPHORIC ACID, 45%

## Disposal Data

------

#### Label Data

Label Required: YES

Technical Review Date: 18DEC93 MFR Label Number: UNKNOWN

Label Status: F

Common Name: OSPHO METAL TREATMENT

Chronic Hazard: YES Signal Word: WARNING!

Acute Health Hazard-Moderate: X

Contact Hazard-Moderate: X

Fire Hazard-None: X

Reactivity Hazard-None: X

Special Hazard Precautions: ACUTE: IRRITANT, SLIGHTLY TOXIC WHEN INHALES/INGESTED. CHRONIC: SLIGHTLY TOXIC-CAUSES BURNS TO EXPOSED TISSUE. MAY DECOMPOSE TO RELEASE OXYGEN AROUND 400C (750F). WILL PRODUCE IRRITATING PHOSPHORIC OXIDE FUMES UNDER FIRE CONDITIONS. IN CASE OF SPILL: WEAR SUITABLE PROTECTIVE CLOTHING, EYE PROTECTION & RESPIRATOR. NEUTRALIZE WITH SODA ASH AND FLUSH THE AREA WITH LARGE AMOUNTS OF WATER. STORE IN SUITABLE

CONTAINER. FIRST AID: CALL A PHYSICIAN IMMEDIATELY. INGESTION-GIVE LARGE QUANTITIES OF WATER. DO NOT INDUCE VOMITING. SKIN & EYE-FLUSH WITH WATER.

Protect Eye: Y Protect Skin: Y

Protect Respiratory: Y

Label Name: THE SHYBRYTE COMPANY Label Street: 3125 PERKINS AVENUE

Label City: CLEVELAND

Label State: OH

Label Zip Code: 44114

Label Country: US

Label Emergency Number: 216-432-2426