

## Attract Primer

**NSI-118**


F : Highly flammable



Xi : Irritant

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Trade name** : Attract Primer  
**Identification of the product** : Liquid.  
**Type of product** : Adhesives intensifier.  
**Use** : For professional use only.  
**Company identification** : NAIL SYSTEMS INTERNATIONAL  
 2 Union Hill Road  
 W. Conshohocken, PA 19428 UNITED STATES  
 Tel. (610) 825-1524  
**Emergency phone nr** : Infotrac (800) 535-5053 - Outside USA (352) 323-3500

### 2 HAZARDS IDENTIFICATION

**Risk Phrases** : Irritating to eyes.  
 May cause sensitization by skin contact.  
**Dangerous product** : Highly flammable. In use, may form flammable/explosive vapour-air mixture.  
**Primary route of exposure** : Vapours inhalation. Skin and eyes contact.  
**Symptoms relating to use**  
 - **Inhalation** : Symptoms of overexposure to vapours include : Dizziness. Drowsiness.  
 - **Skin contact** : Prolonged or repeated contact may cause skin to become dry or cracked. Redness, pain.  
 - **Eye contact** : Redness, pain. Blurred vision. Tears.  
 - **Ingestion** : Swallowing of this product presents some health hazard.  
 Must not come into contact with food or be consumed.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

**Components** : This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	Classification
ETHYL ACETATE	> 80 < 90 %	141-78-6	205-500-4	607-022-00-5	F; R11 R66 R67 Xi; R36
ISOPROPYLIDENEDIPHENYL BISOXYHYDROXYPROPYL METHACRYLATE	> 5 < 10 %	1565-94-2	216-367-7	-----	Xi; R41
HEMA	> 5 < 10 %	868-77-9	212-782-2	607-124-00-X	Xi; R36/38 R43

**Attract Primer****NSI-118****4 FIRST AID MEASURES****First aid measures**

- **Inhalation** : Assure fresh air breathing. If you feel unwell, seek medical advice.
- **Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- **Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking, tears or redness persist.
- **Ingestion** : Rinse mouth. Seek medical advice (show the label where possible).

**5 FIRE-FIGHTING MEASURES**

- Flammable class** : This product is flammable.
- Specific hazards** : May form flammable/explosive vapour-air mixture.
- Hazardous combustion products** : Carbon monoxide. Carbon dioxide.
- Prevention** : No naked lights. No smoking.
- Extinguishing media** : Powder. Sand. Carbon dioxide. Water spray.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.
- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire.

**6 ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Equip cleanup crew with proper protection. Respiratory protection equipment may be necessary.
- General precautions** : Remove ignition sources.
- Environmental precautions** : Prevent entry to sewers and public waters.  
Notify authorities if product enters sewers or public waters.
- Clean up methods** : Clean up any spills as soon as possible, using an absorbent material to collect it.

**7 HANDLING AND STORAGE**

- General** : No naked lights. No smoking. Store and handle as though always a serious potential fire/explosion and health hazard exists.
- Precautions in handling and storage** : In use, may form flammable vapour-air mixture.
- Technical protective measures** : Proper grounding procedures to avoid static electricity should be followed.
- Storage** : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.  
Keep at temperature not exceeding 22 °C.
- Storage - away from** : Heat sources. Direct sunlight.
- Handling** : Handle empty containers with care because residual vapours are flammable.  
Ensure prompt removal from eyes, skin and clothing.  
Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

**Attract Primer****NSI-118****8 EXPOSURE CONTROLS/PERSONAL PROTECTION****Personal protection**

- **Respiratory protection** : Where excessive vapour may result, wear approved mask.
- **Hand protection** : Gloves.
- **Skin protection** : No special protection required where adequate ventilation is maintained.
- **Eye protection** : Goggles.
- **Ingestion** : When using, do not eat, drink or smoke.

**Industrial hygiene** : Local exhaust and general room ventilation are both essential to prevent accumulation of flammable vapour or dust mixtures.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

- Physical state at 20 °C** : Liquid.
- Colour** : Clear.
- Odour** : Ethereal.
- Boiling point [°C]** : 76
- Density** : 0.94
- Vapour pressure [20°C]** : 76 mm Hg
- Viscosity** : 15 cps
- Solubility in water** : Insoluble.
- Flash point [°C]** : -3.3
- Auto-ignition temperature [°C]** : 399 - 482
- Explosion limits - lower [%]** : 2.2
- Explosion limits - upper [%]** : 11

**10 STABILITY AND REACTIVITY**

- Stability and reactivity** : Stable under normal conditions.
- Hazardous decomposition products** : May release flammable gases.
- Hazardous reactions** : None under normal conditions.
- Hazardous properties** : May form flammable/explosive vapour-air mixture.
- Conditions to avoid** : Open flame. Overheating. Direct sunlight.

**11 TOXICOLOGICAL INFORMATION****Toxicity information**

- **Inhalation** : Vapours may cause drowsiness and dizziness.
- **Dermal** : Prolonged or repeated contact may cause skin to become dry or cracked.
- **Ocular** : Irritating to eyes.
- Rat oral LD50 [mg/kg]** : No data available.
- Sensitization** : May cause sensitization by skin contact.



# SAFETY DATA SHEET

Page : 4

Revised edition no : 2

Date : 4 / 28 / 2008

Supersedes : 2 / 10 / 2008

## Attract Primer

**NSI-118**

### 12 ECOLOGICAL INFORMATION

**Ecological effects information** : No data available.  
**LC50-96 Hour - fish [mg/l]** : No data available.

### 13 DISPOSAL CONSIDERATIONS

**General** : Dispose of this material and its container at hazardous or special waste collection point.  
Dispose in a safe manner in accordance with local/national regulations.

### 14 TRANSPORT INFORMATION

**Proper shipping name** : UN1993 FLAMMABLE LIQUID, N.O.S. (Ethyl acetate), 3, II  
**UN No.** : 1993  
**H.I. nr** : 33  
**ADR/RID** : Class : 3  
Special provision : 640D  
Group : II

### 15 REGULATORY INFORMATION

**Symbol(s)** : Xi : Irritant  
F : Highly flammable

**R Phrase(s)** : R11 : Highly flammable.  
R41 : Risk of serious damage to eyes.  
R43 : May cause sensitization by skin contact.  
R66 : Repeated exposure may cause skin dryness or cracking.  
R67 : Vapours may cause drowsiness and dizziness.

**S Phrase(s)** : S16 : Keep away from sources of ignition - No smoking.  
S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S33 : Take precautionary measures against static discharges.  
S37/39 : Wear suitable gloves and eye/face protection.

The contents and format of this SDS are in accordance with REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

For EU Regulatory Inquiries please contact:  
FSE International NV/SA  
9 Rue du Moniteur-B-1000  
Brussels, Belgium  
011 322 277 07 70

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

**End of document**